

Subject Index

ASAS Midwestern Section Abstracts

Please note: Numbers following author's name indicate abstract numbers.

- A**
AA digestibility, 87, 173
absolute abundance, 274
acidosis, 79
adipocyte, 127
adipose tissue, 120, 247
aging, 320
alternative feeds, 286
amino acid, 147, 204
amino acids, 48, 52, 149, 152, 153, 181, 215, 222
 δ -aminolevulinic Acid, 218
anabolic growth implant, 91
anestrus, 89
angiogenesis, 95
Angus, 44
animal growth, 82
animal performance, 267, 270
animal science, 304
anti-Müllerian hormone, 239
antioxidant, 180
antral follicle count, 239
Apparent ileal digestibility, 217
association analyses, 32
- B**
backfat, 69
bacteria, 228
bacterial crude protein, 274
bacterial DNA, 274
bacterial sensitivity, 227
bambermycins, 269
barley, 178
Bayes-B, 38
beef, 107, 108, 123, 130, 132, 133, 134, 239, 254
beef adipose tissue, 102
beef cattle, 1, 42, 43, 45, 77, 88, 252, 253, 261, 263, 264, 294, 308, 319
beef cows, 111, 281, 318
beef heifer, 60
beef production systems, 56
beef quality, 271
beef replacement heifers, 54
beef round, 320
behavior, 3, 10, 11, 13, 17
birth weight, 37, 71, 72, 124, 125
bivariate student-t, 41
blastocyst, 25
boar, 21
body structure, 27
bovine, 120
bovine respiratory disease, 82
breeding, 117
BUN, 243
by-product, 250
byproduct based diets, 264
by-products, 263
- C**
Ca:P ratio, 175
calcium lactate, 118
calf performance, 246
calpain, 118
calves, 289, 295
canola co-product, 90
canola meal, 156, 179, 214
carass quality, 84
Carbadox, 221, 222
carcass, 109, 138, 185
carcass characteristics, 103, 122
carcass composition, 119, 291
carcass fat quality, 121
carcass merit, 248, 288
cartilage, 158
choice white grease, 197
chromium propionate, 172
CIDR, 242
circovirus, 157
Claw, 220
clickers, 302
cobalt, 279
coconut oil, 211
colostrum, 316
compensatory gain, 260
compensatory growth, 52
composition, 314
composition, 126
computed tomography, 33, 117
conception rate, 281
conjugated dienes, 108
conjugated linoleic acid, 310
construction costs, 68
consumer, 131
cookery method, 133, 134
copper, 190, 227
coproducts, 3
co-products, 58
corn, 195
corn co-products, 94, 142
corn distillers solubles, 87
corn germ, 176
corn price, 56
corn processing, 270
corn residue, 58
cortisol, 16, 100
cow-calf, 58
crabgrass, 299
cracked corn, 182
creep ration, 246
crossbred steers, 287
crude glycerin, 112, 298
cryo-preservation, 321
culling reasons, 12
cytochrome P450, 116
- D**
dam parity, 159, 216
DDG, 144
DDGS, 121, 135, 141, 163, 164, 166, 167, 184, 209, 212, 217
desmin, 320
DHA, 158
diagnostics, 312
Dietary cation-anion balance, 224
dietary energy, 154
digestibility, 145, 186, 214, 299, 315
digestion, 279
distillers, 146
distillers dried grains, 293
distillers dried grain with solubles, 165
distillers dried grains, 215
distillers dried grains with solubles, 122, 136, 145, 294
distillers grain, 123
distillers grains, 111, 113, 128, 138, 258, 265, 266, 269, 295, 297
distiller's grains supplementation, 260
distillers solubles, 265
DNA pools, 40
dried distillers grain, 207
dried distillers grains, 259
dried distiller's grains, 112
dried distillers grains plus solubles, 99
dried distillers grains with solubles, 143
drinking, 13
dystocia, 37
- E**
E. coli O157:H7, 268
E-Coli, 226
economic budget, 59
economic risk, 55
education, 46, 303
efficiency, 31
embryo, 23, 78
embryo transfer, 23
endometrium, 244
energy, 137, 156, 181, 191, 199, 249
energy digestibility, 173
energy systems, 192
energy usage, 67
energy value, 261
environment, 161, 233
enzyme, 146, 163, 225, 232
EPA, 158
essential oils, 202
estrous synchronization, 242
estrus, 28
ESTs, 97
European energy systems, 200
evaluation, 21
exit velocity, 107
experience, 301
extrusion, 166, 207
- F**
farrowing induction, 238
fat, 265
fat quality, 109
fat supplementation, 281, 292
fatigue, 79
fatness, 32
fatty acid digestibility, 211
FCR, 42
feed costs, 175
feed efficiency, 202, 305, 319
feed intake, 39, 44, 187, 188
feed intakes, 73
feeder adjustment, 184
feeders, 183
feeding behavior, 104
feedlot, 233, 273, 298
feedlot cattle, 250, 251, 262, 297
feedlot performance, 103, 251, 291
feedlot steers, 269
feet and leg soundness, 29
fermentation, 178, 210
fermented soybean meal, 323
fertilizer, 259
fetus, 81
fiber, 145
finishing cattle, 266
finishing diets, 271
finishing performance, 252, 253, 264
finishing pig, 110
finishing pigs, 182, 185, 186, 212, 231
firmness, 314
fish meal, 147
flank steak, 132
flavor, 128
flaxseed meal, 177
follicle status, 85
food defense, 303
forage, 259
forage processing, 318
forage sorghum, 53
fractionation, 176
full fat soybeans, 181
functional oils, 291
functional teats, 74
Fusarium mycotoxins, 256
- G**
gas emissions, 234
gel, 9
gene expression, 86, 106, 120, 247
genetic parameters, 33
genetic profile, 91
genetics, 63
genomic selection, 38
genomics, 26
genotype by environment interaction, 308
gestation, 61, 64, 65, 96, 280
gestational nutrition, 103, 311, 316
gilt, 27, 29, 220
 β -glucans, 226
glycerin, 208
glycerol, 76, 110, 167, 168, 169, 206, 246, 325
goat, 325
gonadotropins, 89

grain adaptation, 262
grazing lamb performance, 292
group-housed, 64
growing pigs, 87, 155, 167, 217
growth, 8, 48, 71, 72, 75, 83, 124, 135, 137, 141, 155, 160, 183, 203, 216, 225, 232, 280, 294, 305, 313, 319
growth implants, 308
Growth performance, 231
gut microbial population, 39
GxE, 45

H

handling, 5, 14
hay feeding, 318
health, 1
heat stress, 34, 236, 237
heifer development, 243
heifers, 254, 299
hemoglobin, 189
heritability, 28, 29, 44
high dietary levels, 111
high moisture, 113
high-protein DDG, 139
high-protein distillers dried grains, 136, 140
hoop barns, 68
horses, 256
housing, 61, 63
hydrogen sulfide, 272, 273, 293
Hypocalcemia, 224

I

Ileal digestibility, 222
image quality, 43
immune response & PRRSV, 101
implant strategy, 252, 253
influence, 326
infraspinus, 133
injection enhancement, 130
intake, 295
interactive technology, 302
intestine, 95
iodine value, 306
ionophores, 272
IPEC-J2, 241
iron, 189
Iron Status, 218
isoleucine, 50

K

knockout, 24

L

lactation, 51, 76, 144, 188, 219, 311
lactose, 169, 206, 213
lamb, 279
lambs, 305
lameness, 12
laying hen, 10
leadership, 326
leaf litter, 286
lean gain, 313
lean growth, 317
learning styles, 304
leg weakness, 32
legislation, 66
linseed meal, 235

lipids, 195
littersize, 235
locomotion scoring, 12
longissimus dorsi, 129
longitudinal analysis, 30
loose farrowing, 2
low crude protein, 152, 153
low protein diets, 199
low-oligosaccharide soybean meal, 196
low-solubles distiller's dried grains, 109, 137
lysine, 51, 148, 149, 155

M

maintenance, 88
maintenance requirement, 194
mannan oligosaccharide, 101
mare, 309
marketing, 75, 105
mass balance, 162
maternal nutrition, 81, 126
maturity index, 60
MCMC, 41
ME, 94
meat, 325
meat quality, 117
meat and bone meal, 201
meat goats, 105
meat quality, 122, 212
metallothionein, 171
methionine, 151
methionine hydroxy-analogue, 151
mice, 39, 310
microarray, 82
Microbial ecology, 221
Microbial shedding, 230
microbial translocation, 130
microbiota, 178
milk, 309
Mineral, 219, 220
minerals, 123
mitochondrial complex protein, 287
mixed effects model, 70
modified wet distillers grains, 57
molt, 10
morbidity, 238
mortality, 11
MOS, 228
muscle lipid, 310
mycotoxins, 255, 257, 258
myogenesis, 96

N

n-3 fatty acids, 322
net energy, 179, 191, 193, 194, 195, 196, 197, 198, 200
nitrate, 53, 86
nitrosylation, 129
nonlinear function, 73
nonlinear growth functions, 70
nonruminant nutrition, 46
novel endophyte, 289
NSP, 210
nursery pig, 7, 83, 146, 171, 203, 225
nursery pigs, 67, 165, 205, 213
nutrient, 162
nutrient availability, 142
nutrient transport, 93

nutrients, 233
nutrition, 95, 280
nutritional value, 90, 177
nutritional values, 140

O

odor, 234
oilseed supplementation, 77
Optaflexx, 251
organic acids, 186
organic trace mineral, 190
ovulation, 242
oxidation, 108, 118
oxidized oil, 180

P

passive immunity, 159
Paylean, 5, 209
PCV2, 7
pelleting, 165
pelvic measures, 37
pen, 65
PepSoyGen, 323
performance, 77, 84, 169, 205, 206, 263
pharmacological Zn, 171
Phenylactic acid, 230
phosphorus, 170
phytase, 83, 164, 173, 175
pig, 4, 5, 8, 13, 14, 20, 23, 28, 71, 72, 90, 93, 96, 156, 157, 162, 164, 176, 177, 179, 184, 189, 190, 210, 214, 232, 244, 315
pig growth, 69, 70
pig growth performance, 180
piglet, 11, 309
piglet growth, 74
piglet mortality, 2
Piglets, 226
pigs, 3, 9, 30, 50, 52, 73, 74, 94, 104, 124, 125, 135, 136, 138, 139, 140, 141, 143, 148, 150, 151, 152, 153, 154, 159, 166, 168, 172, 174, 183, 193, 194, 196, 199, 200, 201, 202, 208, 209, 211, 216, 230, 235, 241, 256, 317, 323
placental efficiency, 93
plasma protein, 223
polioencephalomalacia, 106, 273
Porcine alveolar macrophages, 229
pork, 306
pork belly, 314
pork quality, 100, 119, 168
potassium, 79
PPAR γ 2, 102
preconditioning, 248, 288
prediction equations, 142
pre-slaughter handling, 208
Probiotics, 231
production, 86, 187
production systems, 55
profitability, 80
progesterone, 78, 116
progesterone catabolism, 116
progesterone receptor, 244
progestin, 85
protein source, 203
protein sources, 213
proteoglycans, 127

PRRS, 312
psoas major, 129

Q

quality, 249

R

ractopamine, 48, 154, 161, 174, 306
ractopamine HCL, 110
reaction norm, 45
red blood cells, 185
reduced nocturnal temperature, 67
reproduction, 27, 34, 54, 60, 236, 237
requirement, 50, 150
research, 301
residual feed intake, 30, 31, 104, 119, 254, 287
restricted feeding, 31
restraint, 16
retention, 201
RFI, 42
RNA interference, 25
robust linear model, 41
roughage, 266
roughage level, 267
rumen temperature, 88
ruminants, 286

S

selection, 26, 33, 317
selenium, 126, 311, 316
semen, 21, 321
semimembranosus, 134
sheep, 81, 313
shrimp, 97
sire, 80
skeletal growth, 322
SNP, 40
SNP genotype, 38
SNPs, 97
sorghum DDGS, 315
sow, 51, 63, 76, 121, 144, 149, 188, 218, 219, 237
sow fear, 2
sow housing, 20, 66
sows, 34, 61, 64, 65, 89, 187
soy hulls, 198, 297
soybean meal, 139
soybean oil, 197
soyhulls, 250
splenius, 132
spray-dried egg, 205
steak, 131
steer, 249
steers, 17, 80, 84, 298
stem cells, 170
stocker cattle, 245, 247
storage, 59, 113
stress, 16
sulfur, 106, 272
summer grazing, 99
supplemental fat, 172
supplementation, 56, 57, 99, 245
swine, 15, 24, 26, 75, 127, 160, 161, 163, 170, 191, 192, 207, 215, 224, 238, 312, 322
swine facilities, 234

T

tall fescue, 289
teaching, 304
temperament, 107
temperature, 15
tenderness, 91, 131
thermoregulation, 236
thiamin, 293
time of day, 53
tissue fatty acids profile, 292
TNF- α , 229
transgene, 24
transport, 100
transport losses, 14
transportation, 4, 15
transportation temperature, 321
tryptohan, 148

U

ulcers, 182
ultrasound, 43, 69, 105
undergraduate, 301, 326
undergraduate education, 302
uterine pH, 243
uterus, 78

V

vaccination, 1, 9, 268
vaccine, 7, 8, 157
valine, 150
VEGF, 85
virus, 25
vitamin E, 128

W

weaned pigs, 101
weaning, 160, 248, 288
weaning weight, 125
weanling, 204
Weanling pigs, 221
weanlings, 223
welfare, 20
wet corn gluten feed, 262
wet distillers grains, 59, 261
wet distiller's grains, 267
wet distillers grains plus solubles,
268
wet distiller's grains plus solubles,
270, 271

wethers, 112
wheat middlings, 198
wheat pasture, 54, 260
whey protein, 147
winter grazing, 245
withdrawal, 143

Y

yearling, 55
yearling steer, 57
yeast, 204, 223
Yeast components, 229

Z

zinc, 174, 227
zinc transporter, 241